

⚠ 주의 : 바르고 안전한 사용을 위해 사용 전에 반드시 사용설명서를 읽어 주시기 바랍니다.

ARRI

ARRI



photo & culture
SAEKIP&C
ARRI 한국 총 대리점

대한민국 사진 영상장비 대표기업

본사_서울특별시 종로구 와룡동 143 세기빌딩 TEL:3668-3114(대) FAX:742-3387 영업본부_TEL:3668-3120 FAX:745-9476
본사매장_TEL:3668-3109,3111 충무로매장_TEL:2279-0867~8 AS안내/고객지원팀_TEL:3668-3126,3162,3123 FAX:2267-8538
인터넷_www.saeki.co.kr

photo & culture
SAEKIP&C
대한민국 사진 영상장비 대표기업

INDEX

목 차

TUNGSTEN

ARRI

1. TUNGSTEN _ 텡스텐조명

ARRI	3-4
STUDIO	4-5
ARRILITE	6
CYC/FLOOD LIGHT	7

2. CERAMIC _ 세라믹조명 8

3. DAYLIGHT _ 데이라이트조명

DAYLIGHT	9
ARRISUN	10-11
MAXMOVER	11
COMPACT	12-13
ARRI X	14
ARRILUX	15

4. THEATRE _ 극장용조명 16-17

5. EVENT _ 이벤트조명 18

6. FLUORESCENT _ 형광조명 19

7. BALLASTS _ 발라스트 20-25

8. STANDS _ 스탠드/그립 26

ARRI True Blue T5 5000W









Colours:  
Manual: L3.40000.B L3.40005.B

Head together with 4-leaf Barndoor and Diffuser Frame

Technical Data:
Size (mm): 522H x 465W x 390L
Weight (kg): 11.5
Lamp: 5000W, CP85, BP
5000W, CP29, MP
Base: G38
Lens size (mm): 250
Fixing: 28mm Male

Accessories:

-  4-leaf Barndoor L2.40950.0
-  8-leaf Barndoor L2.40960.0
-  Diffuser Frame L2.80970.0
-  Scrim Set L2.88915.0
-  Softbox Adapter L2.76247.0

-  Snoot L2.80975.0
-  Outrig Diffuser Frame L2.80990.0
-  Steel Heavy duty Stand 126CSU
-  3 Section Wind Up Stand 087NWB

ARRI True Blue T1 1000W










Colours:  
Manual: L3.39610.B L3.39615.B
P.O.: L3.39610.1

Head together with 4-leaf Barndoor and Diffuser Frame

Technical Data:
Size (mm): 357H x 323W x 222L
Weight (kg): 5.5
Lamp: 1000W, CP71, BP
1000W, CP40, MP
Base: G22
Lens size (mm): 150
Fixing: Dual 28mm/16mm Manual
28mm Male PO

Accessories:

-  4-leaf Barndoor L2.39870.0
-  8-leaf Barndoor L2.39900.0
-  Diffuser Frame L2.79690.0

-  Scrim Set L2.88913.0
-  Snoot L2.79680.0
-  Black Alu Air Cushioned Master Stand 1004BAC
-  Softbox Adapter Video Pro L2.76246.0

ARRI True Blue T2 2000W






Colours:  
Manual: L3.41250.1 L3.41250.B
P.O.: L3.41255.B

Head together with 4-leaf Barndoor and Diffuser Frame

Technical Data:
Size (mm): 398H x 375W x 315L
Weight (kg): 7
Lamp: 2000W, CP73, BP
2000W, CP41, MP
Base: G38
Lens size (mm): 175
Fixing: 28mm Male

Accessories:

-  4-leaf Barndoor L2.39870.0
-  8-leaf Barndoor L2.39900.0
-  Diffuser Frame L2.79890.0
-  Softbox Adapter L2.76248.0

-  Scrim Set L2.88914.0
-  Snoot L2.79880.0
-  Black Alu Senior Stand 007BU

ARRI 650 PLUS 650W









Colours:  
Manual: L0.79400.B L0.79405.B
P.O.: L0.79400.1 L0.79405.1

Head together with 4-leaf Barndoor and Diffuser Frame

Technical Data:
Size (mm): 276H x 220W x 190L
Weight (kg): 2.3
Lamp: 650W, CP89
500W, CP82
300W, CP81
Base: GY9.5
Lens size (mm): 112
Fixing: 16mm Female
28mm Male PO

Accessories:

-  4-leaf Barndoor L2.79470.0
-  Softbox Adapter L2.89068.0
-  Diffuser Frame L2.79490.0

-  Scrim Set L2.88912.0
-  Snoot L2.79480.0
-  Black Aluair Ccushioned Compact Stand 1052BAC

TUNGSTEN

ARRI

STUDIO

TUNGSTEN

STUDIO

ARRI 300 PLUS 300W



Colours:

Manual: L0.79200.B L0.79205.B

Head together with 4-leaf Barndoor and Diffuser Frame

Technical Data:
 Size (mm): 233H x 187W x 160L
 Weight (kg): 1.8
 Lamp: 300W, CP81
 Base: GY9.5
 Lens size (mm): 80
 Fixing: 16mm Female

Accessories:

- 4-leaf Barndoor L2.79170.0
- Softbox Adapter L2.89067.0
- Diffuser Frame L2.79190.0
- Scrim Set L2.88911.0
- Snoot L2.79180.0
- Black Alu Air Cushioned Compact Stand 1052BAC

ARRI T24 24000W



Colours:

Manual: L1.82270.B L0.82270.D

Set with Dimmer ADM 24:

Technical Data:
 Size (mm): 1068H x 1040W x 830L
 Weight (kg): 60.6
 Lamp: KP240H, MP
 Base: G38
 Lens size (mm): 625
 Fixing: 28mm Male

Accessories:

- 4-leaf Barndoor L2.71100.0
- Diffuser Frame L2.71110.0
- Softbox Adapter L2.89064.0
- Scrim Set L2.71115.0
- Mains Cable L2.82297.0
- Dimmer L2.82296.0
- 15m Head to Dimmer Cable L2.82294.0
- 20m Head to Dimmer Cable L2.82294.0
- Strato Safe Stand 47 B7047CS

ARRI True Blue ST5 (P.O) 5000W



Colours:

Manual: L3.41000.B L3.41005.B

P.O.: L3.41000.I L3.41005.I

Technical Data:
 Size (mm): 601H x 516W x 393L
 Weight (kg): 15
 Lamp: CP29, 5000W, MP
 CP85, 5000W, BP
 Base: G38
 Lens size (mm): 300
 Fixing: 28mm Male

Accessories:

- 4-leaf Barndoor L2.41200.0
- 8-leaf Barndoor L2.41210.0
- Diffuser Frame L2.81220.0
- Softbox Adapter L2.89062.0
- Scrim Set L2.88916.0
- Outrig Colour Frame L2.81240.0
- Snoot L2.81225.0
- Steel Combo Stand A1045CS

ARRI True Blue ST1 (P.O) 1000W



Colours:

Manual: L3.40500.B L3.40505.B

P.O.: L3.40500.K L3.40505.K

Technical Data:
 Size (mm): 420H x 356W x 315L
 Weight (kg): 8
 Lamp: CP40, FKJ 1000W, MP
 CP73, 1000W, BP
 Base: G22
 Lens size (mm): 175
 Fixing: 28mm Male

Accessories:

- 4-leaf Barndoor L2.39870.0
- 8-leaf Barndoor L2.39970.0
- Diffuser Frame L9.79890.0
- Softbox Adapter L2.76248.0
- Scrim Set L2.88914.0
- Snoot L2.79880.0
- Black Alu Senior Stand 007BU

ARRI 150 150W



Colours:

Manual: L0.79360.E with dimmer
L0.79360.B with switch

Head together with 4-leaf Barndoor and Diffuser Frame

Technical Data:
 Size (mm): 163H x 132W x 168L
 Weight (kg): 0.8
 Lamp: 150W, 7003
 150W, A1/248
 150W, 64502
 Base: G6.35
 Lens size (mm): 50
 Fixing: 16mm Female

Accessories:

- 4-leaf Barndoor L2.79380.0
- Softbox Adapter L2.89066.0
- Diffuser Frame L2.79395.0
- Scrim Set L2.88908.0
- Snoot L2.79390.0
- Black Alu Air Cushioned Compact Stand 1052BAC

ARRI T12 12000W



Colours:

Manual: L0.82120.B

Technical Data:
 Size (mm): 748H x 682W x 562L
 Weight (kg): 25.0
 Lamp: KP120H, MP
 Base: G38
 Lens size (mm): 420
 Fixing: 28mm Male

Accessories:

- 4-leaf Barndoor L2.82150.0
- Diffuser Frame L2.82155.0
- Softbox Adapter L2.89063.0
- Scrim Set L2.88917.0
- Outrig Colour Frame L2.82165.0
- Super Wind Up 40 Stand B6040X

ARRI True Blue ST2 (P.O) 2000W



Colours:

Manual: L3.40750.B L3.40755.B

P.O.: L3.40750.I L3.40755.I

Technical Data:
 Size (mm): 528H x 446W x 380L
 Weight (kg): 11.5
 Lamp: CP41, 2000W, MP
 CP73, FKK 2000W, BP
 Base: G38
 Lens size (mm): 250
 Fixing: 28mm Male PO

Accessories:

- 4-leaf Barndoor L2.40950.0
- 8-leaf Barndoor L2.40960.0
- Diffuser Frame L2.80970.0
- Softbox Adapter L2.76247.0
- Scrim Set L2.88915.0
- Outrig Colour Frame L2.80990.0
- Snoot L2.80975.0
- Alu Combo Stand 35 A1035B

TUNGSTEN

ARRILITE

TUNGSTEN

CYC/FLOODLIGHT

ARRILITE 2000 2000W



Lamphead complete with 4-leaf Barndoor, Safety Mesh and Accessory Holder

Part no.: L1.76500.E

Technical Data:

Size (mm): 343H x 315W x 252H
Weight (kg): 3.2
Lamp: P2/27 FEX 2000W 230V
P2/27 FEX 2000W 240V
Base: R7s
Fixing: 16mm Female

Accessories:

- 4-leaf Barndoor L2.76522.0
- Softbox Adapter L2.89061.0
- Dichroic Filter L2.76571.0
- Safety Glass L2.76570.0
- Safety Mesh L4.76925.E
- Scrim Set L2.88909.0
- Black Alu Air Cushioned Master Stand 1004BAC
- Case for 2 Heads + Accessories L2.76956.P

ARRILITE 800 800W



Lamphead complete with 4-leaf Barndoor, Safety Mesh and Accessory Holder

800: L1.76700.E

Technical Data:

Size (mm): 246H x 207W x 197H
Weight (kg): 1.8
Lamp 650/800: P2/13 DXX 800W, 230V
P2/13 DXX 800W, 240V
P2/18 250W, 30V
FAD 650W 120V
Base: R7s
Fixing: 16mm Female

Accessories:

- 4-leaf Barndoor L2.76973.0
- Softbox Adapter L2.76237.0
- Dichroic Filter L2.76966.0
- Safety Glass L2.76967.0
- Safety Mesh L4.76972.E
- Scrim Set L2.88910.0
- Black Alu Cushioned Compact Stand 1052BAC
- Case for 3 Heads + Accessories L2.76970.Q
- Case for 4 Heads + Accessories L2.76970.P

ARRILITE 1000 1000W



Lamphead complete with 4-leaf Barndoor, Safety Mesh and Accessory Holder

1000: L1.76900.G

Technical Data:

Size (mm): 246H x 207W x 197H
Weight (kg): 1.8
Lamp 650/800: P2/13 DXX 800W, 230V
P2/13 DXX 800W, 240V
P2/35 1000W, 230V
FAD 650W 120V
Base: R7s
Fixing: 16mm Female

Accessories:

- 4-leaf Barndoor L2.76973.0
- Softbox Adapter L2.76237.0
- Dichroic Filter L2.76966.0
- Safety Glass L2.76967.0
- Safety Mesh L4.76972.E
- Scrim Set L2.88910.0
- Black Alu Cushioned Compact Stand 1052BAC
- Case for 3 Heads + Accessories L2.76970.Q
- Case for 4 Heads + Accessories L2.76970.P

ARRILITE 600 600W



Lamphead complete with 4-leaf Barndoor, Safety Mesh and Accessory Holder

Part no.: L1.77250.B

Technical Data:

Size (mm): 206H x 175W x 156H
Weight (kg): 0.9
Lamp: DYR 650W, 230V
DYR 650W, 240V
DYG 250W, 30V
DYS 600W, 120V
GY9.5
Base: R7s
Fixing: 16mm Female

Accessories:

- 4-leaf Barndoor L2.77261.0
- Softbox Adapter L2.76241.0
- Dichroic Filter L2.77310.0
- Safety Glass L2.77258.0
- Safety Mesh L4.77269.E
- Scrim Set L2.88911.0
- Black Alu Air Cushioned Mini Compact Stand 1051BAC
- Case for 3 Heads + Accessories L2.77266.P

ARRI CYC/FLOOD 1250 1250W



Colours:

Manual P.O.

CYC: L1.84200.B L1.84200.I

FLOOD: L1.84300.B L1.84300.I

Technical Data:

Length (mm): 408H x 394.5W x 219L
Weight (kg): 4.0
Lamp: P2/10 625W/230V
P2/7 1000W/230V
P2/12 1250W/230V
Base: R7s
Fixing: 28mm Male

Accessories:

- 4-leaf Barndoor L2.84240.0
- Diffuser Frame L2.84245.0
- Floor Brackets Set L2.84223.0

ARRI CYC 1250, 4-CUBE 4 x 1250W



Colours:

Manual P.O.

CYC: L1.84230.B L1.84230.I

Technical Data:

Length (mm): 816H x 702W x 219L
Weight (kg): 14.6
Lamp: P2/10 625W/230V
P2/7 1000W/230V
P2/12 1250W/230V
Base: R7s
Fixing: 28mm Male

Accessories:

- Diffuser Frame L2.84245.0

ARRI CYC 1250 DOUBLE 2 x 1250W



Colours:

Manual P.O.

CYC: L1.84210.B L1.84210.I

Technical Data:

Length (mm): 437H x 697W x 219L
Weight (kg): 8.2
Lamp: P2/10 625W/230V
P2/7 1000W/230V
P2/12 1250W/230V
Base: R7s
Fixing: 28mm Male

Accessories:

- Diffuser Frame L2.84245.0
- Floor Brackets Set L2.84223.0

MINICYC 1000W MINIFLOOD 1000W



Colours:

MINICYC: L1.82100.B L1.82101.D

MINIFLOOD: L1.82100.B L1.82101.D

Technical Data:

Length (mm): 176H x 265W x 87L
Weight (kg): 1.5
Lamp: P2/11 800W 230V
P2/20 1000W 230V
Base: R7s
Fixing: 28mm Male

Accessories:

- Black Alu Air Cushioned Compact Stand 1052BAC
- Mini Turtle Base L2.88636.0
- Softbox Adapter L2.89065.0

CERAMIC

DAYLIGHT

ARRI X

STUDIO

ARRIMAX

DAYLIGHT

ARRI X CERAMIC 250 250W











Colours:  
Manual: L1.86200.B L1.86205.B
P.O.: L1.86200.1 L1.86205.1

Lamphead and Ceramic ST 250 lamp

Technical Data:

Size (mm): 466H x 347W x 211L
Weight (kg): 6.1
Lamp: CERAMIC ST 250 HR 3200K
 MSR 250 HR 5600K
Base: GZY9.5
Fixing: 28mm Male

Accessories:

-  4-leaf Barndoor L2.82240.0
-  Reflector, black L2.86260.A
-  Diffuser Frame L2.82245.0
-  Scrim Set L2.86250.0
-  Softbox Adapter L2.90031.0
-  Snoot L2.86240.0
-  Intensifier L2.86230.0
-  Clear Glass L2.86245.0
-  Black Alu Senior Stand 007BU

ARRI STUDIO CERAMIC 250 250W









Colours:  
Manual: L1.86500.B L1.86505.B
P.O.: L1.86500.1 L1.86505.1

Lamphead and Ceramic ST 250 lamp

Technical Data:

Size (mm): 482H x 359W x 350L
Weight (kg): 6.1
Lamp: CERAMIC ST 250 HR 3200K
 MSR 250 HR 5600K
Base: GZY9.5
Lens (mm): 175
Fixing: 28mm Male

Accessories:

-  4-leaf Barndoor L2.79870.0
-  Diffuser Frame L2.79890.0
-  Black Alu Senior Stand 007BU
-  Scrim Set L2.88914.0
-  Snoot L2.79880.0
-  Softbox Adapter L2.76248.0

ARRIMAX 18/12 18000/12000W



Lamphead: L1.37950.B
Set: L0.37950.B

Lamphead with 15m cable and 12/18 Arrimax Ballast

Technical Data:

Size (mm): 1121H x 784W x 945L
Weight (kg): 65.0
Lamp: HMI
Base: GX51/G38
Fixing: 28mm Male

Accessories:

-  Spot Reflector L2.37940.0
-  Snoot L2.87941.0
-  Strato Safe Stand 47 B7047CS

ARRI DAYLIGHT 18/12 PLUS 18000/12000W




Lamphead: L1.71160.B
Set: L0.71160.X

Head with Barndoor and Diffuser Frame

Technical Data:

Size (mm): 1073H x 1040W x 829L
Weight (kg): 68.9
Lamp: HMI 12 kW DE
 HMI 18 kW DE
Base: S30
Lens (mm): 625
Fixing: 28mm Male

Accessories:


-  4-leaf Barndoor L2.71100.0
-  Scrim Set L2.71115.0
-  Softbox Adapter L2.89064.0
-  Diffuser Frame L2.71110.0
-  Strato Safe Stand 47 B7047CS

DAYLIGHT

ARRISUN





ARRISUN 120 12000W



Colours: 
Lamphead: L1.77890.B
Set: Various sets are available.
 Please contact your supplier for details


Technical Data:
 Size (mm): 948H x 760W x 850L
 Weight (kg): 46.8
 Lamp: HMI 12000W/SE
 Base: G38
 Lens size (mm): 500
 Fixing: 28mm Male

Accessories:

-  4-leaf Barndoor L2.76973.0
-  Softbox Adapter L2.76237.0
-  5 Lens Kit, 500mm, incl. Case L0.77920.0
-  Super Wind-up 40 Stand B604X









ARRISUN 40/25 2500/4000W



Colours: 
Lamphead: L1.77300.B
Set: Various sets are available.
 Please contact your supplier for details

Technical Data:
 Size (mm): 728H x 471W x 590L
 Weight (kg): 22.2
 Lamp: HMI 2500/4000W/SE
 Base: G38
 Lens size (mm): 300
 Fixing: 28mm Male

Accessories:

-  4-leaf Barndoor L2.81200.0
-  Softbox Adapter L2.89062.0
-  Steel Combo Stand 45 A1045CS
-  Frosted Fresnel DROP-IN L2.76871.S
-  5 Lens Kit, 300mm, INSERT incl. Case L0.77402.0
-  5 Lens Kit, 300mm, DROP-IN incl. Case L0.76864.0
-  Adapter for Choke Ballast 2.5kW L2.77440.0
-  Frosted Fresnel INSERT L2.77420.S

ARRISUN 5 575W







Colours:  
Lamphead: L1.77850.B L1.77855.B
Set with Drop-in Lenses: L0.77850.B

Lamphead together with Barndoor,
 Cable and 5 Lens Set in Kit Case

Technical Data:
 Size (mm): 358H x 272W x 310L
 Weight (kg): 3.8
 Lamp: HMI 575W/SE
 Base: G22
 Lens size (mm): 175
 Fixing: Dual 28mm/16mm

Accessories:

-  4-leaf Barndoor L2.79670.0
-  Alu Combo Stand 35 A1035B
-  Softbox Adapter Video Pro L2.76246.0
-  5 Lens Kit, 175mm L0.77862.0

DAYLIGHT

ARRISUN

ARRI LENS COLOUR CODES


Spot Lens
Narrow Flood Lens (small rectangles)
Flood Lens (large rectangles)
Super Flood Lens (honeycomb)
Frosted Super Flood Lens
Frosted Fresnel Lens

Blue
 Black
 Green
 Red
 Silver
 Silver





ARRISUN 60 6000W



Colours: 
Lamphead: L1.77480.B
Set: Various sets are available.
 Please contact your supplier for details


Technical Data:
 Size (mm): 876H x 562W x 695L
 Weight (kg): 26.7
 Lamp: HMI 6000W/SE
 Base: G38
 Lens size (mm): 420
 Fixing: 28mm Male

Accessories:

-  4-leaf Barndoor L2.82150.0
-  Softbox Adapter L2.89063.0
-  Super Wind-up 40 Stand B6040X
-  5 Lens Kit, 420mm, INSERT incl. Case L0.77482.0
-  5 Lens Kit, 420mm, DROP-IN incl. Case L0.76882.0
-  Frosted Fresnel DROP-IN L2.76891.S
-  Frosted Fresnel INSERT L2.77494.S





ARRISUN 12 PLUS 1200W



Colours: 
Lamphead: L1.77570.B
Set: Various sets are available.
 Please contact your supplier for details

Technical Data:
 Size (mm): 594H x 386W x 482L
 Weight (kg): 12.8
 Lamp: HMI 1200W/SE
 Base: G38
 Lens size (mm): 250
 Fixing: 28mm Male

Accessories:

-  4-leaf Barndoor L2.80950.0
-  Softbox Adapter L2.76247.0
-  Steel Combo Stand 45 A1045CS
-  Frosted Fresnel DROP-IN L2.76825.S
-  Frosted Fresnel INSERT L2.77716.S
-  5 Lens Kit, 300mm, INSERT incl. Case L0.77402.0
-  5 Lens Kit, 300mm, DROP-IN incl. Case L0.76864.0
-  Frosted Fresnel DROP-IN L2.76825.S
-  Frosted Fresnel INSERT L2.77716.S

ARRISUN 2 200W







Colours:  
Lamphead: L1.77820.B L1.77825.B
Set with Drop-in Lenses: L0.77820.B

Lamphead together with Barndoor, Ballast,
 Cable and 5 Lens Set in Kit Case


Technical Data:
 Size (mm): 250H x 204W x 267L
 Weight (kg): 2.3
 Lamp: HMI 200W/SE
 Base: GZY9.5
 Lens size (mm): 135
 Fixing: 16mm Female

Accessories:

-  4-leaf Barndoor L2.79470.0
-  Black Alu Air Cushioned Master Stand 1004BAC
-  Softbox Adapter Video Pro L2.89068.0
-  5 Lens Kit, 130mm L0.77824.0

MAXMOVER



Colours: 
Standard: L2.37980.0

Includes case, Universal adapters, 2x Mega Claw clamps and
 analogue control with 40m (130') cable.

Fully Programmable: L2.37980.D

Includes case, Universal adapters, 2x Mega Claw clamps, analogue
 control with 40m (130') cable and DMX Converter.

Technical Data:

Capacity: Daylight 6-18kW
 Tungsten 12-24kW
Size (mm): 965H x 1160W x 300L
Weight (kg): 33
Supply: 90-265V, 100VA
Load (kg): 80
Protection: IP54
Speed (rpm): 1
Fixing: 2x2 Mega Claw
 48mm Pipe Fixing

Accessories:


- Focus Unit Standard** L2.37981.0
- ARRISUN 60 Adapter** L2.37983.0
- Basic DMX Converter for MaxMover** L2.37985.0
- DMX FP Upgrade Kit** L2.37986.0

DAYLIGHT

COMPACT






ARRI COMPACT 12000 12000W



Colours: 
Lamphead: L1.75790.B
Set: L0.75790.X
 Head with EB, Barndoor, Diffuser Frame and 15m Cable


Technical Data:
 Size (mm): 997H x 884W x 710L
 Weight (kg): 47.2
 Lamp: HMI 12000W/SE
 Base: G38
 Lens Size (mm): 500
 Fixing: 28mm Male

Accessories:

-  4-leaf Barndoor L2.74750.0
-  Diffuser Frame L2.74780.0
-  Softbox Adapter L2.89077.0
-  Scrim Set L2.88907.0
-  Super Wind-up 40 Stand B6040X

ARRI D40 Daylight Fresnel 4000W



Colours: 
Lamphead: L1.34000.B
Set: L1.34005.B
 Head with EB, Barndoor, Diffuser Frame and 7m Cable


Technical Data:
 Size (mm): 727H x 534W x 403L
 Weight (kg): 17.7
 Lamp: HMI 4000W/SE
 Base: G38
 Lens Size (mm): 300
 Fixing: 28mm Male

Accessories:

-  4-leaf Barndoor L2.41200.0
-  Diffuser Frame L2.81220.0
-  Softbox Adapter L2.89062.0
-  Scrim Set L2.81230.0
-  Snoot L2.81225.0
-  Steel Combo Stand 45 A1045CS

ARRI D12 120W Daylight Fresnel



Colours: 
Lamphead: L1.33730.B


Technical Data:
 Size (mm): 511H x 374W x 325L
 Weight (kg): 9.9
 Lamp: HMI 1200W/SE
 Base: G38
 Lens Size (mm): 175
 Fixing: 28mm Male

Accessories:

-  4-leaf Barndoor L2.39870.0
-  Diffuser Frame L2.79890.0
-  Softbox Adapter L2.76248.0
-  Scrim Set L2.79860.0
-  Snoot L2.79880.0
-  Steel Combo Stand 45 A1045CS







ARRI COMPACT 200 200W



Colours: 
Lamphead: L1.73330.B
Set: L0.73330.F
 Head with EB, Barndoor, Diffuser Frame and 7m Cable


Technical Data:
 Size (mm): 294H x 218W x 193L
 Weight (kg): 2.3
 Lamp: HMI 200W/SE
 Base: GZY9.5
 Lens Size (mm): 112
 Fixing: 16mm Female

Accessories:

-  4-leaf Barndoor L2.79470.0
-  Diffuser Frame L2.79490.0
-  Scrim Set L2.88913.0
-  Snoot L2.79480.0
-  Black Alu Air Cushioned Compact Stand 1052BAC
-  Softbox Adapter Video Pro L2.89068.0






ARRI COMPACT 6000 6000W



Colours: 
Lamphead: L1.75700.B
Set: L0.75700.X
 Head with EB, Barndoor, Diffuser Frame and 7m Cable

Technical Data:
 Size (mm): 799H x 682W x 614L
 Weight (kg): 32.9
 Lamp: HMI 6000W/SE
 Base: G38
 Lens Size (mm): 420
 Fixing: 28mm Male

Accessories:

-  4-leaf Barndoor L2.82150.0
-  Diffuser Frame L2.82155.0
-  Softbox Adapter L2.89063.0
-  Scrim Set L2.88917.0
-  Super Wind-up 40 Stand B6040X

ARRI D25 Daylight Fresnel 2500W



Colours: 
Lamphead: L1.33670.B
Set: L0.33675.B

Technical Data:
 Size (mm): 643H x 464W x 390L
 Weight (kg): 14.5
 Lamp: HMI 2500W/SE
 Base: G38
 Lens Size (mm): 250
 Fixing: 28mm Male

Accessories:

-  4-leaf Barndoor L2.40950.0
-  Diffuser Frame L2.80970.0
-  Softbox Adapter L2.76947.0
-  Scrim Set L2.80980.0
-  Snoot L2.80975.0
-  Steel Combo Stand 45 A1045CS






ARRI D5 575W Daylight Fresnel



Colours: 
Lamphead: L1.33770.B L1.33775.B

Technical Data:
 Size (mm): 359H x 327W x 223L
 Weight (kg): 5.9
 Lamp: HMI 575W/SE
 Base: G22
 Lens Size (mm): 150
 Fixing: 28mm Male

Accessories:

-  4-leaf Barndoor L2.39670.0
-  Diffuser Frame L2.79690.0
-  Scrim Set L2.79660.0
-  Snoot L2.79680.0
-  Black Alu Air Cushioned Compact Stand 1052BAC
-  Softbox Adapter Video Pro L2.76246.0

ARRI COMPACT 125 125W









Colours: 
Lamphead: L1.73350.B
Set: L0.71350.B

Head with Ballast, Cable, Barndoors and Diffuser Frame in Kit Case

Technical Data:
 Size (mm): 242H x 202W x 180L
 Weight (kg): 1.8
 Lamp: HMI 125W/SE
 Base: GZX9.5
 Lens Size (mm): 80
 Fixing: 16mm Female

Accessories:

-  4-leaf Barndoor L2.79170.0
-  Diffuser Frame L2.79190.0
-  Scrim Set L2.88911.0
-  Snoot L2.79180.0
-  Black Alu Air Cushioned Compact Stand 1052BAC
-  Softbox Adapter Video Pro L2.89067.0

DAYLIGHT

ARRI X

ARRI X60 6000W



Colours: 
Lamphead: L1.82650.B
Set: L0.82650.X
 Lamphead, Barndoor, EB, 7m Cable, Frosted Glass, Black Reflector

Technical Data:
 Size (mm): 925H x 810W x 400L
 Weight (kg): 36.5
 Lamp: HMI 6000W/SE
 Base: G38
 Fixing: 28mm Male

Accessories:

-  Frosted Glass L2.82690.0
-  4-leaf Barndoor L2.82675.0
-  Super Wind-up 40 Stand B6040X
-  Reflector, black L2.86260.A







ARRI X40/25 2500W/4000W



Colours: 
Lamphead: L1.82400.B
Set: L0.82400.X
 Lamphead, Barndoor, EB, 7m Cable, Frosted Glass, Black Reflector

Technical Data:
 Size (mm): 760H x 590W x 290L
 Weight (kg): 21.1
 Lamp: HMI 2500/4000W/SE
 Base: G38
 Fixing: 28mm Male

Accessories:

-  Frosted Glass L2.82740.0
-  4-leaf Barndoor L2.82717.0
-  Reflector, black L2.82403.A
-  Steel Combo Stand 45 A1045CS
-  Adapter for Choke Ballast 2.5 kW: L2.77440.0
-  Softbox Adapter L2.90033.0






ARRI X12 1200W



Colours: 
Lamphead: L1.82250.B
Set: L0.82250.X
 Lamphead, Barndoor, EB, 7m Cable, Frosted Glass, Black Reflector

Technical Data:
 Size (mm): 619H x 495W x 260L
 Weight (kg): 14.7
 Lamp: HMI 1200W/SE
 Base: G38
 Fixing: 28mm Male

Accessories:

-  Frosted Glass L2.82774.0
-  4-leaf Barndoor L2.82775.0
-  Softbox Adapter L2.90034.0
-  Steel Combo Stand 45 A1045CS
-  Reflector, black L2.82259.A






ARRI X5 575W



Colours: 
Lamphead: L1.82200.B
Set: L0.82200.X
 Lamphead, Barndoor, EB, 7m Cable, Frosted Glass, Black Reflector

Technical Data:
 Size (mm): 650H x 376W x 208L
 Weight (kg): 8.0
 Lamp: HMI 575W/SE
 Base: G22
 Fixing: 28mm Male

Accessories:

-  Frosted Glass L2.82249.0
-  4-leaf Barndoor L2.82240.0
-  Reflector, black L2.86260.A
-  Softbox Adapter L2.90031.0
-  Alu Combo Stand A1035B

ARRI X2 200W



Colours: 
Lamphead: L1.82050.B
Set: L0.82050.X
 Lamphead, Barndoor, EB, 7m Cable, Frosted Glass, Black Reflector

Technical Data:
 Size (mm): 335H x 250W x 146L
 Weight (kg): 2.5
 Lamp: HMI 200W/SE
 Base: GZY9.5
 Fixing: 16mm Female

Accessories:

-  Frosted Glass L2.82092.0
-  4-leaf Barndoor L2.82075.0
-  Softbox Adapter L2.90032.0
-  Black Alu Air Cushioned Master Stand 1004BAC
-  Reflector, black L2.82058.A

POCKETPAR 400 400W



Colours: 
Lamphead: L1.70880.0
PAR Kit: L0.70880.C
Lighthouse Kit: L0.70880.E

Technical Data:
 Size (mm): 245H x 237W x 294L
 Weight (kg): 2.6
 Lamp: HMI 400W/SE
 Base: GZZ9.5
 Lens (mm): 130
 Fixing: 16mm Female

PAR Kit:


Head, EB, Barndoor, Lens Set, 7m Cable, Handgrip and Adapter in Case.

Lighthouse Kit:

Head, EB, Barndoor, Lens Set, 7m Cable, Handgrip and Adapter, Lighthouse Clear, Shutter, Stirrup and Softbox Adapter for Lighthouse in Case

POCKETLITE 400 400W



Colours: 
Lamphead: L1.70890.0
Lite Kit: L0.70890.C

Technical Data:
 Size (mm): 245H x 237W x 285L
 Weight (kg): 2.6
 Lamp: HMI 400W/SE
 Base: GZZ9.5
 Lens (mm): 130
 Fixing: 16mm Female

Lite Kit:

Head, EB, Barndoor, CTO, 7m Cable, Handgrip and Adapter in Case.

POCKETPAR 200 200W



Colours: 
Lamphead: L1.70790.0
PAR Kit: L0.70790.C
Lighthouse Kit: L0.70790.E

Technical Data:
 Size (mm): 201H x 225W x 275L
 Weight (kg): 1.9
 Lamp: HMI 200W/SE
 Base: GZY9.5
 Lens (mm): 112
 Fixing: 16mm Female

PAR Kit:

Head, EB, Barndoor, Lens Set, 7m Cable, Handgrip and Adapter in Case.

Lighthouse Kit:

Head, EB, Barndoor, CTO, 7m Cable, Handgrip and adapter, Lighthouse clear, Shutter, Stirrup and Softbox Adapter for Lighthouse in Case

POCKETLITE 200 200W



Colours: 
Lamphead: L1.70820.0
Lighthouse Kit: L0.70820.E

Technical Data:
 Size (mm): 201H x 225W x 275L
 Weight (kg): 1.9
 Lamp: HMI 200W/SE
 Base: GZY9.5
 Lens (mm): 112
 Fixing: 16mm Female

Lighthouse Kit:

Head, EB, Barndoor, Lens Set, 7m Cable, Handgrip and adapter, Lighthouse clear, Shutter, Stirrup and Softbox Adapter for Lighthouse in Case

POCKETPAR 125 125W



Colours: 
Lamphead: L1.73875.0
Basic Kit: L0.73875.K
AC Deluxe Kit: L0.73875.AC
DC Deluxe Kit: L0.73875.DC

Technical Data:
 Size (mm): 133H x 126W x 190L
 Weight (kg): 1.1
 Lamp: HMI 125W/SE
 Base: GZX9.5
 Lens (mm): 78
 Fixing: 16mm Female

Basic Kit:

Lamphead, Ballast, Barndoor, Scrim Set, Hand Grip, Lenses, Cables.

AC Deluxe Kit:

Basic Kit (AC Ballast) + Grip Kit + Softbox.

DC Deluxe Kit:

Basic Kit (DC Ballast) + Grip Kit + Softbox.

THEATRE

COMPACT THEATRE

ARRI COMPACT THEATRE 6000 6000W



Colours: Theatre grey
 Manual: L1.75710.B
Technical Data:
 Size (mm): 806H x 672W x 616L
 Weight (kg): 34
 Lamp: HMI 6000W/SE
 Base: G38
 Lens (mm): 420
 Fixing: 28mm Male

Accessories:

4-leaf Barndoor L2.82150.0
 Diffuser Frame L2.82155.0

COMPACT THEATRE

ARRI COMPACT THEATRE 2500 2500W



Colours: Theatre grey
Standard Rear Loader
 Manual: L1.73680.B L1.73680TB
MB Ready*: L1.73690.B L1.73690TB
Technical Data:
 Size (mm): 749H x 605W x 370L
 Weight (kg): 23
 Lamp: HMI 2500W/SE
 Base: G38
 Lens (mm): 250
 Fixing: 28mm Male

Accessories:

4-leaf Barndoor L2.80950.0
 8-leaf Barndoor L2.80960.0
 Diffuser Frame L2.80970.0

THEATRE

ARRI STUDIO THEATRE

ARRI STUDIO THEATRE 5000 5000W



Colours: Standard
Standard Rear Loader
 Manual: L1.81015.B L1.81015TB
MB Ready*: L1.81025.B L1.81025TB
Technical Data:
 Size (mm): 717H x 656W x 444L
 Weight (kg): 21
 Lamp: CP29, 5000W, MP
 CP85, 5000W, BP
 Base: G38
 Lens (mm): 300
 Fixing: 28mm Male

Accessories:

4-leaf Barndoor L2.81200.0
 8-leaf Barndoor L2.81210.0
 Diffuser Frame L2.81220.0

ARRI STUDIO THEATRE

ARRI STUDIO THEATRE 1000 1000W



Colours: Standard
Standard
 Manual: L1.80515.B L1.80525.B
MB Ready*: L1.80525.B
Technical Data:
 Size (mm): 477H x 465W x 307L
 Weight (kg): 8.4
 Lamp: CP40, FKJ 1000W, MP
 CP71, 1000W, BP
 Base: G22
 Lens (mm): 175
 Fixing: 28mm Male

Accessories:

4-leaf Barndoor L2.79870.0
 8-leaf Barndoor L2.79900.0
 Diffuser Frame L2.79890.0

*MB Ready Lampheads are supplied with the necessary fixings for a motorised stirrup

ARRI X THEATRE

ARRI COMPACT THEATRE 4000 4000W



Colours: Theatre grey
Standard Rear Loader
 Manual: L1.74010.B L1.74010TB
MB Ready*: L1.74020.B L1.74020TB
Technical Data:
 Size (mm): 834H x 656W x 466L
 Weight (kg): 27
 Lamp: HMI 4000W/SE
 Base: G38
 Lens (mm): 300
 Fixing: 28mm Male

Accessories:

4-leaf Barndoor L2.81200.0
 8-leaf Barndoor L2.81210.0
 Diffuser Frame L2.81220.0

ARRI X THEATRE 40/25 2500/4000W



Colours: Theatre grey
 Manual: L1.82410.B
MB Ready*: L1.82420.B
Technical Data:
 Size (mm): 760H x 590W x 312L
 Weight (kg): 24
 Lamp: HMI 2500/4000W/SE
 Base: G38
 Fixing: 28mm Male

Accessories:

4-leaf Barndoor L2.82717.0
 Reflector, black L2.82403.A
 Frosted glass L2.82740.0
 Adapter for Choke Ballast 2.5kW L2.77440.0

ARRI STUDIO THEATRE 2000 2000W




Colours: Standard
Standard
 Manual: L1.80765.B L1.80775.B
MB Ready*: L1.80775.B
Technical Data:
 Size (mm): 645H x 605W x 375L
 Weight (kg): 16
 Lamp: CP41, 2000W, MP
 CP73, FKK 2000W, BP
 Base: G38
 Lens (mm): 250
 Fixing: 28mm Male

Accessories:

4-leaf Barndoor L2.80950.0
 8-leaf Barndoor L2.80960.0
 Diffuser Frame L2.80970.0

DIMENSIONS



Dimensions on this chart are given in accordance with the diagram above. These may differ from figures quoted on other ARRI literature which uses different definitions.



EVENT

ARRISUN EVENT









ARRISUN EVENT

ARRISUN 12 EVENT 1200W





Colours:  
Part no.: L1.77591.E L1.77595.E
Technical Data:
 Size (mm): 493H x 396W x 436L
 Weight (kg): 13
 Lamp: HMI 1200W/SE
 Base: G38
 Lens (mm): 255
 Fixing: 28mm Male

Accessories:









-  Spot Lens L2.76821.0
-  Narrow-Flood Lens L2.76822.0
-  Flood Lens L2.76823.0
-  Adapter Event 12 to Veam L2.76368.0
-  4-leaf Barndoor, (outside silver) L2.80951.0
-  4-leaf Barndoor, (standard) L2.80950.0
-  Flight Case (3 x ARRISUN EVENT 12) L2.76851.0
-  Transmitter Pendant Module 1200 L2.76787.0

ARRISUN 2 EVENT 200W





Colours:  
Part no.: L1.77841.E L1.77845.E
Technical Data:
 Size (mm): 250H x 204W x 247L
 Weight (kg): 2.3
 Lamp: HMI 200W/SE
 Base: GZY9.5
 Lens (mm): 140
 Fixing: 16mm Male

Accessories:













-  Spot Lens L2.77826.0
-  Narrow-Flood Lens L2.77828.0
-  Flood Lens L2.77830.0
-  Adapter Event 2 to Veam L2.76328.0
-  4-leaf Barndoor, (outside silver) L2.79471.0
-  4-leaf Barndoor, (standard) L2.79470.0
-  Flight Case (6 x ARRISUN EVENT 2/5) L2.76850.0
-  Transmitter Pendant Module 2000 L2.76785.0

ARRISUN 5 EVENT 575W



Colours:  
Part no.: L1.77871.E L1.77875.E
Technical Data:
 Size (mm): 344H x 259W x 295L
 Weight (kg): 4.5
 Lamp: HMI 575W/SE
 Base: G22
 Lens (mm): 200
 Fixing: 16mm Male



Accessories:

-  Spot Lens L2.77864.0
-  Narrow-Flood Lens L2.77866.0
-  Flood Lens L2.77868.0
-  Adapter Event 5 to Veam L2.76339.0
-  DMX Shutter Silver L2.74748.S
-  Power Supply 10A L2.80963.0
-  4-leaf Barndoor, (outside silver) L2.79671.0
-  4-leaf Barndoor, (standard) L2.79670.0
-  Flight Case (6 x ARRISUN EVENT 2/5) L2.76350.0
-  Transmitter Pendant Module 575 L2.76786.0
-  DMX Shutter Black L2.74748.0
-  Power Supply 20A L2.80964.0

ARRI X EVENT

ARRI X 5 EVENT 575W



Colours:  
Part no.: L1.82221.E L1.82225.E
Technical Data:
 Size (mm): 477H x 376W x 172L
 Weight (kg): 7
 Lamp: HMI 575W/SE
 Base: G22
 Fixing: 28mm Male

Accessories:


-  Reflector, black L2.86260.A
-  Frosted Glass L2.82249.0
-  Adapter Event 5 to Veam L2.76339.0
-  4-leaf Barndoor, (outside silver) L2.82241.0
-  4-leaf Barndoor, (standard) L2.82240.0
-  Transmitter Pendant Module 575 L2.76786.0

FLUORESCENT






STUDIO COOL

STUDIO COOL 2




Colours: 
230V
Multi Control DMX: L1.84002.B
Dual Switch: L1.84012.B
Phase Control: L1.84022.B
Technical Data:
 Size (mm): 261H x 733W x 175L
 Weight (kg): 5.2
 Lamp: TC-L 55 W
 Base: BJB 2 G 11
 Fixing: 28mm Male

Accessories:






-  4-leaf Barndoor L2.84006.0
-  Diffuser Frame L2.84007.0
-  PO Stirrup L2.84175.0
-  Intensifier L2.84009.0
-  Black Alu Senior Stand 007BU

STUDIO COOL 4




Colours: 
230V
Multi Control DMX: L1.84004.B
Dual Switch: L1.84014.B
Phase Control: L1.84024.B
Technical Data:
 Size (mm): 406H x 733W x 176L
 Weight (kg): 7.8
 Lamp: TC-L 55 W
 Base: BJB 2 G 11
 Fixing: 28mm Male

Accessories:




-  4-leaf Barndoor L2.84066.0
-  Diffuser Frame L2.84064.0
-  PO Stirrup L2.84070.0
-  Intensifier L2.84068.0
-  Black Alu Senior Stand 007BU

STUDIO COOL 2+2



Colours: 
230V
Multi Control DMX: L1.84102.B
Dual Switch: L1.84112.B
Phase Control: L1.84122.B
Technical Data:
 Size (mm): 261H x 1338W x 175L
 Weight (kg): 9.8
 Lamp: TC-L 55 W
 Base: BJB 2 G 11
 Fixing: 28mm Male

Accessories:

-  Snoot L2.84145.0
-  Diffuser Frame L2.84146.0
-  PO Stirrup L2.84149.0
-  Intensifier L2.84147.0
-  Black Alu Senior Stand 007BU

BALLASTS

ELECTRONIC BALLASTS

12/18kW ELECTRONIC BALLASTS



EB: L2.76290.0
EB ARRIMAX DMX: L2.76295.0
180-250V

Technical Data:
 Size (mm): 584H x 283W x 560L
 Weight (kg): 49

Accessories:

- ☉ 15m 12/18kW Head to Ballast Cable L2.82294.0
- ☉ 20m 12/18kW Head to Ballast Cable L2.82294.A

6kW ELECTRONIC BALLASTS "BABY"



EB: L2.76193.0
180-250V

Technical Data:
 Size (mm): 358H x 243W x 450L
 Weight (kg): 25

Accessories:

- ☉ 7m 6kW Head to Ballast Cable L2.77940.0
- ☉ 15m 6kW Head to Ballast Cable L2.77940.A

2.5kW ELECTRONIC BALLAST



EB: L2.76635.0
EB DMX: L2.76636.0
90-125/180-250V

Technical Data:
 Size (mm): 358H x 243W x 450L
 Weight (kg): 21

Accessories:

- ☉ 7m 2.5kW Head to Ballast Cable L2.75620.0
- ☉ 15m 2.5kW Head to Ballast Cable L2.75620.C

400/575W ELECTRONIC BALLAST



EB: L2.76260.0
EB DMX: L2.76261.0
90-125/180-250V

Technical Data:
 Size (mm): 91H x 155W x 270L
 Weight (kg): 3.5

Accessories:

- ☉ 7m 575W Head to Ballast Cable L2.75600.0
- ☉ 15m 575W Head to Ballast Cable L2.75600.C
- ☉ 7m 400W Head to Ballast Cable L2.70857.0

6/12kW ELECTRONIC BALLASTS



EB: L2.76172.0
EB DMX: L2.76182.0
6kW 90-125/180-250V
12kW 180-250V

Technical Data:
 Size (mm): 498H x 263W x 506L
 Weight (kg): 40

Accessories:

- ☉ 7m 6kW Head to Ballast Cable L2.77940.0
- ☉ 15m 6kW Head to Ballast Cable L2.77940.A
- ☉ 15m 12/18kW Head to Ballast Cable L2.82294.0
- ☉ 20m 12/18kW Head to Ballast Cable L2.82294.A
- ☉ Trolley for Ballast L2.76178.0

2.5/4kW & 575-4kW ELECTRONIC BALLAST



	Standard	DMX
EB 2.5/4kW:	L2.76640.0	L2.76641.0
180-250V		
EB 2.5/4kW:	L2.76675.0	L2.76676.0
90-125/180-250V		
EB 575-4kW:	L2.76671.0	
180-250V		

Technical Data:
 Size (mm): 358H x 243W x 450L
 Weight (kg): 20

Accessories:

- ☉ 7m 2.5/4kW Head to Ballast Cable L2.75620.0
- ☉ 15m 2.5/4kW Head to Ballast Cable L2.75620.C

575/1.2kW ELECTRONIC BALLAST



	Standard	DMX
EB:	L2.76125.0	L2.76126.0
EB ALF:	L2.76425.0	L2.76426.0
90-125/180-250V		

Technical Data:
 Size (mm): 150H x 200W x 300L
 Weight (kg): 7.5

Accessories:

- ☉ 7m 575/1200W Head to Ballast Cable L2.75600.0
- ☉ 15m 575/1200W Head to Ballast Cable L2.75600.C

125/200W ELECTRONIC BALLAST



EB: L2.76013.B
90-125/180-250V

Technical Data:
 Size (mm): 70H x 180W x 240L
 Weight (kg): 2.3

Accessories:

- ☉ 7m 125W Head to Ballast Cable L2.73382.0
- ☉ 7m 200W Head to Ballast Cable L2.73372.0

BALLASTS

CONVENTIONAL BALLASTS

6kW CHOKE BALLASTS



CB 220-240V: L2.75841.0

Technical Data:

Size (mm): 480H x 365W x 630L
Weight (kg): 60

Accessories:

- ⊙ 7m 6kW Head to Ballast Cable L2.77940.0
- ⊙ 15m 6kW Head to Ballast Cable L2.77940.A

1.2kW CHOKE BALLASTS



CB 220-240V: L2.75012.0

CB DMX: L2.75022.E

Technical Data:

Size (mm): 398H x 175W x 254L
Weight (kg): 20

Accessories:

- ⊙ 7m 1.2kW Head to Ballast Cable L2.75600.0
- ⊙ 15m 1.2kW Head to Ballast Cable L2.75600.C

575/1.2kW AC/DC ELECTRONIC BALLASTS



EBB: L2.76230.0

90-250VAC, 24/48-60VDC

Technical Data:

Size (mm): 200H x 230W x 358L
Weight (kg): 11

Accessories:

- ⊙ 7m Head to Ballast Cable L2.75600.0
- ⊙ 15m Head to Ballast Cable L2.75600.C

125/200W ELECTRONIC BATTERY BALLAST



EBB: L2.76040.B

20-34VDC

Technical Data:

Size (mm): 67H x 130W x 158L
Weight (kg): 1.2

Accessories:

- ⊙ 7m 125W Head to Ballast Cable L2.73382.0
- ⊙ 7m 200W Head to Ballast Cable L2.73372.0
- =/= 12-30V DC-DC Converter L2.76090.0

4kW CHOKE BALLASTS



CB 220-240V: L2.75839.0

CB DMX: L2.75870.E

CB 345-415V: L2.75838.0

Technical Data:

Size (mm): 480H x 365W x 630L
Weight (kg): 61

Accessories:

- ⊙ 7m 4kW Head to Ballast Cable L2.75620.0
- ⊙ 15m 4kW Head to Ballast Cable L2.75620.C

575kW CHOKE BALLASTS



CB 220-240V: L2.75010.E

Technical Data:

Size (mm): 398H x 175W x 235L
Weight (kg): 14.5

Accessories:

- ⊙ 7m 575W Head to Ballast Cable L2.75600.0
- ⊙ 15m 575W Head to Ballast Cable L2.75600.C

200/400W ELECTRONIC BATTERY BALLAST



EBB: L2.76270.B

20-36VDC

Technical Data:

Size (mm): 91H x 155W x 265L
Weight (kg): 2.6

Accessories:

- ⊙ 7m 200W Head to Ballast Cable L2.73372.0
- ⊙ 7m 400W Head to Ballast Cable L2.79857.0

BALLASTS

BALLASTS

EVENT BALLASTS

EVENT EXTENSION CABLES

MULTIFUNCTION BALLASTS

EGG CRATE COLOUR CODES

EB 200/575/1200 EVENT MULTIFUNCTION



Part no.: L2.76777.0

Technical Data:

Size (mm): 560L x 19"W x 4U H
Weight (kg): 22

Accessories:

- ⋮ 6-channel Event Splitbox L2.76341.B
- ⌚ Mains Adapter Harting to CEE L2.76363.0

EB 1200 EVENT THREE



Part no.: L2.76331.0

Technical Data:

Size (mm): 560L x 19"W x 4U H
Weight (kg): 22

Accessories:

- ⋮ 3-channel Event Splitbox L2.76367.0

EB 575 EVENT SIX



Part no.: L2.76340.0

Technical Data:

Size (mm): 560L x 19"W x 4U H
Weight (kg): 22

Accessories:

- ⋮ 6-channel Event Splitbox L2.76341.0

EB 575 EVENT SINGLE



Part no.: L2.76259EV

Technical Data:

Size (mm): 100H x 198W x 285L
Weight (kg): 3.18

Accessories:

- Ⓚ Mounting Plate with Super Clamp L2.76100.0

EB 200 EVENT SIX



Part no.: L2.76321.0

Technical Data:

Size (mm): 560L x 19"W x 4U H
Weight (kg): 19

Accessories:

- ⋮ 6-channel Event Splitbox L2.76341.0

2.5m	Event Extension Cable	L2.76318.A
5m	Event Extension Cable	L2.76318.B
10m	Event Extension Cable	L2.76318.C
15m	Event Extension Cable	L2.76318.D
30m	Event Extension Cable	L2.76318.E

EVENT MULTICORE CABLES

5m	Event Six multicore Cable	L2.76342.B
10m	Event Six multicore Cable	L2.76342.C
20m	Event Six multicore Cable	L2.76342.D
50m	Event Six multicore Cable	L2.76342.E

EVENT FLIGHT CASES

Flight case for 1 x 19" EB with front and rear cover	L2.76352.0
Flight case for 3 x 19" EB with power distribution panel and CEE32A socket	L2.76788.0
Flight case for 4 x 19" EB with power distribution panel and CEE32A socket	L2.76789.0
Steel 19" Rack for 8 x Event or Location ballast packs	L2.76344.0

EB 2.5/4kW LOCATION MULTIFUNCTION



Location Single 19" Pack: L2.76791.0

Technical Data:

Size (mm): 560L x 19"W x 4U H
Weight (kg): 24

Accessories:

- ⋮ 3-channel Location Splitbox L2.76793.B
- ⌚ 20m Multicore Cable L2.76796.C
- ⌚ 30m Multicore Cable L2.76796.D
- ⌚ 50m Multicore Cable L2.76796.E
- Ⓚ Flight Case for 3 x 19" EB L2.76792.0

The picture shown is of 3 Ballast Packs in Flight Case with Multicore Cable and Splitbox

EB 200.575/1200W LOCATION MULTIFUNCTION



Location Six 19" Pack: L2.76777.0

Technical Data:

Size (mm): 560L x 19"W x 4U H
Weight (kg): 22

Accessories:

- ⋮ 6-channel Location Splitbox L2.76779.B
- ⌚ 10m Multicore Cable L2.76781.B
- ⌚ 20m Multicore Cable L2.76781.C
- ⌚ 30m Multicore Cable L2.76781.D
- ⌚ 50m Multicore Cable L2.76781.E
- Ⓚ Flight Case for 3 x 19" EB L2.76778.0

The picture shown is of 3 Ballast Packs in Flight Case with Multicore Cable and Splitbox

SPS3 Silver Flood
SPS3 Silver Wide
SPH6 Silver Medium
WTS3 White Narrow
BTS3 Black Narrow

Red
Green
Blue
White
Black



STANDS

BABY LIGHTWEIGHT STANDS

STANDS

BABY STANDS



BLACK ALU AIR CUSHIONED MINI COMPACT STAND 1051BAC
 에어 푸션 기능이 있는 알루미늄 스탠드. 4단에 3중 구조. 튼튼 직경: 25, 22, 18mm. 다리 직경: 19mm.

1051BAC와 동일하지만 3개가 한 세트 구성.



BLACK ALU AIR CUSHIONED RANKER STAND 1005BAC
 에어 푸션 기능이 있는 알루미늄 스탠드. 3단에 2중 구조. 튼튼 직경: 35, 30, 25, 20mm. 다리 직경: 22mm.

1005BAC와 동일하지만 3개가 한 세트 구성.



BLACK ALU AIR CUSHIONED COMPACT STAND 1052BAC
 에어 푸션 기능이 있는 알루미늄 스탠드. 3단에 2중 구조. 튼튼 직경: 25, 22, 19mm. 다리 직경: 19mm.

1052BAC와 동일하지만 3개가 한 세트 구성.



BLACK ALU AIR CUSHIONED MASTER STAND 1004BAC
 에어 푸션 기능이 있는 알루미늄 스탠드. 4단에 3중 구조. 튼튼 직경: 35, 30, 25, 20mm. 다리 직경: 22mm.

1004BAC와 동일하지만 3개가 한 세트 구성.




BLACK ALU POLE FOR BACKLITE STAND 1122B
 2단의 (직경 22, 19mm) 알루미늄 봉. 최소 높이: 47cm, 최대 높이: 74.5cm.



BLACK ALU BABY STAND EXTENSION 1099B
 3단의 (직경 25, 22, 19mm) 알루미늄 확장 봉. 최소 높이: 90cm, 최대 높이: 223cm.



BLACK STEEL BACKLITE STAND 012B
 2단1층으로 된 분리할 수 있는 알루미늄 합금이 있는 블랙 스틸 베이스. 직경: 22, 19mm. 강력한 플랫폼 레그: 20x5mm. 안정적으로 설치할 수 있으며 풀을 이용해 높이를 조절할 수 있음.



BLACK ALU NANO STAND 5001B

소재의 선재는 고성능과 경량화를 제공하기 위해서는 필수적입니다. Adapt는 1051BAC 미니 콤팩트 스탠드와 1052BAC 콤팩트 스탠드의 컬러와 스퀘어 디스킹으로 Maribato가 특별히 개발한 새로운 소재입니다. Adapt는 강도 면에서는 알루미늄과 동일하지만 50%나 가벼운 특수한 테크노 폴리머 소재입니다.

Adapt는 극한의 온도에서도 최상의 나구성을 가지며 부식되거나 산화되지 않기 때문에 시정기재에서는 이상적인 소재입니다. 추가적으로 Adapt는 전동용 흡수하는 특별한 소재이며 우리의 기저대로 촬영 시 진동이 없는 최적의 상태로 만들어 줍니다.

새로운 Adapt? 참리는 한 개의 핵심 부분으로 만들어져 개선된 성능과 용이한 경비를 보증합니다.



점광 장치
 한번의 움직임으로 베이스 스탠드를 편리하게 세우는 잠금 장치를 눌러 머리 스탠드를 분리하여 바로 사용할 수 있습니다.



스태킹 시스템 레그
 견고하고 미세공격력으로 디자인된 손잡이는 스탠드를 보관할 때 사용자에게 큰 도움이 됩니다.



새로운 베이스-인젝션 캐스팅으로 시간거기에 더 나은 안정성까지 고안할 계획.



최소 정지된 30° 상단 고정 나사와 14° 어댑터에 의한 견고해도 사용 가능.



A0003 BACKLITE BABY STAND
 20cm 98cm 66cm 68cm
 1.4kg 4kg 16mm 5/8"

Black steel legs and aluminium riser. 2 sections, 1 riser. Leg Ø: 25, 20mm. Leg Ø: 16mm.




A0040B ALU BABY STAND 40
 142cm 400cm 124cm 114cm
 4.5kg 9kg 16mm 5/8"

Black aluminium stand. 4 sections, 3 risers. Ø: 35, 30, 25, 20mm. Leg: 20x20mm. 1 levelling leg.



A0040B ALU BABY STAND 30
 113cm 300cm 100cm 100cm
 3.5kg 10kg 16mm 5/8"

Black aluminium stand. 4 sections, 3 risers. Ø: 35, 30, 25, 20mm. Leg: 20x20mm. 1 levelling leg.



A0040CS ALU BABY STAND 35
 126cm 350cm 112cm 100cm
 4kg 9kg 16mm 5/8"


Black aluminium stand. 4 sections, 3 risers. Ø: 35, 30, 25, 20mm. Leg: 20x20mm. 1 levelling leg.

STANDS

CENTURY STANDS

STANDS

COMBO STANDS



SLIDING LEG

A2018L	A2025L	A2033L
C-STAND 18 SLIDING LEG	C-STAND 25 SLIDING LEG	C-STAND 33 SLIDING LEG
84cm 175cm 84cm 95cm 4,3cm	110cm 253cm 110cm 95cm 5,8kg	134cm 328cm 134cm 95cm 5,5cm
8kg 16mm 5/8"	10kg 16mm 5/8"	10kg 16mm 5/8"
Chrome plated steel stand. 3 sections, 2 risers. Ø: 35, 30, 25mm. Leg Ø: 25mm.	Chrome plated steel stand. 3 sections, 2 risers. Ø: 35, 30, 25mm. Leg Ø: 25mm.	Chrome plated steel stand. 3 sections, 2 risers. Ø: 35, 30, 25mm. Leg Ø: 25mm.

A1020B	A1035CS	A1045CS	A9000
ALU COMBO STAND 20	STEEL COMBO STAND 35	STEEL COMBO STAND 45	BRAKED WHEELS
110cm 198cm 93cm 80cm 6kg	168cm 350cm 142cm 134cm 12kg	179cm 450cm 155cm 134cm 13kg	3,3kg 90kg
25kg 16mm 5/8" 28mm 1 1/8" A9000B	40kg 16mm 5/8" 28mm 1 1/8" A9000	40kg 16mm 5/8" 28mm 1 1/8" A9000	
Aluminium legs with aluminium risers. 3 sections, 2 risers. Ø: 45, 40, 35mm. Leg: 25x25mm. 1 levelling leg.	Chrome steel stand. 3 sections, 2 risers. Ø: 45, 40, 35mm. Leg: 25x25mm. 1 levelling leg.	Chrome steel stand. 4 sections, 3 risers. Ø: 45, 40, 35, 30mm. Leg: 25x25mm. 1 levelling leg.	Ø: 100mm for 20x20 and 25x25mm. Square legs. Set of three.

STANDS

STARATO SAFE STANDS

STANDS

WIND UP STANDS



B7057
LONG JOHN SILVER STAND

⊕	⊖	⊗	⊘	⊙
177cm	570cm	224cm	240cm	14kg
⊕	⊖			
120kg	28mm			
	1 1/8"			

Heavy duty stand complete with pneumatic braked wheels. 5 sections, 4 risers. Includes Wind Brace Kit B9000W.

Patented

B7057FF
LONG JOHN SILVER STAND WITH FOAM FILL WHEELS

⊕	⊖	⊗	⊘	⊙
177cm	570cm	224cm	240cm	14kg
⊕	⊖			
120kg	28mm			
	1 1/8"			

Heavy duty stand complete with foam fill braked wheels. 5 sections, 4 risers. Includes Wind Brace Kit B9000W.

Patented



B7043CS
STRATO SAFE STAND 47

⊕	⊖	⊗	⊘	⊙
172cm	467cm	209cm	213cm	62kg
⊕	⊖			
70kg	28mm			
	1 1/8"			

Chrome steel stand complete with braked wheels. 3 sections, 2 risers. ⌀: 90, 80, 70mm. Leg: 35x35mm. Includes Wind Brace Kit B9000W.

Patented

B7043CS



B6039CS
WIND UP STAND 39

⊕	⊖	⊗	⊘	⊙
181cm	390cm	201cm	142cm	24kg
⊕	⊖			
30kg	28mm	16mm		
	1 1/8"	5/8"		

Chrome steel stand. 3 sections, 2 risers. ⌀: 55, 45, 38mm. Leg ⌀: 30mm. 1 levelling leg.



B6029X
SUPER WIND UP 29 STAND LOW BASE STAINLESS STEEL

⊕	⊖	⊗	⊘	⊙
140cm	290cm	156cm	130cm	34kg
⊕	⊖			
80kg	28mm			
	1 1/8"			

Stainless steel column and legs, chrome steel risers and geared column. 4 sections, 3 risers. ⌀: 70, 60, 50mm. Leg: ⌀ 35mm. 1 levelling leg.

Patented

B6040X
SUPER WIND UP 40 STAND STAINLESS STEEL

⊕	⊖	⊗	⊘	⊙
172cm	386cm	196cm	180cm	39kg
⊕	⊖			
80kg	28mm			
	1 1/8"			


Heavy lift stand with strengthened stainless steel column and legs, chrome steel risers and geared column. 3 sections ⌀: 70, 60, 50mm. 2 risers which extended simultaneously at 4.4cm per handle turn. Safety cable ensures simultaneous retrieval of all sections. Rapid adjustment. Leg ⌀ 35mm. 1 levelling leg. Complete with braked wheels.

Patented

STANDS

GRIP HEAD SYSTEM

Specifically designed to position and hold ARRI scrims and flags, floppies, cutters, dots and fingers. The simple, efficient concept behind grip clamps and dedicated arms allows you to support all light control accessories, while the special construction and the variety of available options let you stop, bounce and soften lights in every position you could need.



D200 B
2" 1/2 GRIP HEAD

0,55kg 16mm
5/8"

Avenger's most popular grip accessory. The D200 Grip Head has hundreds of functions. Unlike any other Grip Head, the D200 utilizes a series of washers for extra locking torque and the use of automotive-quality brake pad discs for secure, non-slip security.



D100 B
DOUBLE GRIP HEAD

0,87kg

A combination of two sets of Grip Head discs mounted on a steel plate with a 10mm rod. Attachment: 10x135mm rod.



D520 B
40" EXTENSION
GRIP ARM

1,6kg

Normally used in combination with a Grip Head (art. D200) it provides an extended grip point for scrims and flags or small lights. Pipe length 1020mm.



D400 B
4" 1/2 JUMBO GRIP
HEAD

2,35kg 28mm 28mm
1" 1/8 1" 1/8

Designed to convert a Junior Stand into an Overhead Stand, the D400 incorporates a 4-1/2" (10mm) Grip Head with a Junior Stud and receiver.



D050
SET OF 6
BLUE T-TOPS

Rubber cover gives better grip for 80mm T-handles, even in cold weather. Available also in the following colours:
Red - code D050R
Yellow - code D050Y
Green - code D050G
Light Blue - code D050LB
Black - code D050B



E600
SNAP-IN PIN

Specifically designed to connect Grid Head to Super Clamp. Aluminium made.

